


- 5mm Lauan Plywood
- 3/4" x 3/4" Pine
- 3/4" Birch Plywood

Super-Simple Module Frame



PART L1 - Main Longitudinal - 2 required.

Size: 6" x 48" x 5mm Lauan Plywood

Pre-drill and countersink holes for #6x1" coarse drywall screws at 3/8" and 16" from each end.

Pre-drill 5/16" holes 2 1/2" from ends, 1 3/4" from top for 1/4"x2x2 1/2" leg bolts.



PART L2 - Longitudinal Stiffener - 4 required

Size: 6" x 14-7/8" x 5mm Lauan Plywood

Pre-drill 5/16" holes 1 3/4" from ends, 1 3/4" from top for 1/4"x20x2 1/2" leg bolts.



PART C1 - End Plate - 2 required

Size: 3/4" Birch Plywood, 6" tall, 23-5/8" Long



PART C2 - Cross-Piece - 2 required

Size: 3/4" Birch Plywood, 6" tall, 23-5/8" Long

Pre-drill 1" holes 1 3/4" from top, 6-13/16" from each end (9" from center)



PART S1 - Center Glue Strip - 2 required.
Size: $\frac{3}{4}$ " x $\frac{3}{4}$ " x $15\frac{1}{4}$ " pine.



PART S2 - End Section Glue Strip - 4 required
Size: $\frac{3}{4}$ " x $\frac{3}{4}$ " x $11\text{-}3/8$ " pine.



PART S3 (not shown) - Leg Brace - 4 required
Size: $\frac{3}{4}$ " x $\frac{3}{4}$ " x $2\frac{3}{4}$ " pine.